Kind reminder: The company reserves the right to modify the product appearance
and accessories. Any changes will be made without prior notice. All product sizes and colors are subject to the actual product.

HiMOLON

喜牧龙 × 高定门窗

WeChat

WhatsApp

+86 15170025161 www.himolonwindows.com

Our Offices & Showroom:
Buliding20,Tower1,Shenke Chuangzhi Park,No.6 Xingye East Road,Shishan Industrial Road, Nanhai District, Foshan City, Guangdong Province
Factory:
No.18 Workshop on the side of Muyuan JiuyuDong Substation, Shishan Town, Nanhai District, Foshan City, Guangdong Province

Craftsmanship of life aesthetics--Exploring the art of doors and windows in luxury homes

HiMOLON

HiMOLON

Foshan HIMOLON high-end custom Doors and Windows, established in 2017, is a domestic large-scale villa building system door and window enterprise integrating R&D, production, sales and service. Products include intelligent doors and windows, American, German, Cantonese extremely narrow series, as well as aluminum alloy door and window products such as extremely narrow, panoramic sliding doors, and sunrooms. The production base is located in Shishan Town, Foshan City. In 2023, it will focus on market demand and iterate and upgrade brand strategy, products, services and other dimensions. The brand will be redefined as "HIMOLON high-end custom Doors and Windows", with the brand concept of "craftsmanship of life aesthetics, exploring the art of doors and windows in luxury homes". It will carry out a comprehensive brand strategy upgrade in order to provide consumers with "high quality, beautiful appearance, high value and high service" home life experience; the factory has been expanded to an area of nearly 50,000 square meters, and the annual production capacity will reach 500,000 square meters; and a global operation center with an area of nearly 5,000 square meters will be established in Shenzhen Science and Technology Innovation Valley, laying the foundation for expanding the global market.

Wen Wuqiang, the founder of the "HIMOLON" brand, has been focusing on the door and window industry since 1993, and has accumulated rich experience in the research and development and management of high-end doors and windows. He has adopted high-standard management systems and production equipments in the industry, and integrated the world's highest-quality hardware systems and intelligent system resources to achieve a modern, high-quality, and high-efficiency large-scale door and window enterprise.

We uphold the "craftsman spirit" to pursue aesthetic breakthroughs in home spaces and find refinement in home life. They give back to society with safer, more soundproof, more energy-efficient, more environmentally friendly and more comfortable home products, bringing users a comfortable and happy home life.



DEVELOPMENT
PROCESS OF FOUNDERS

Company founder's journey

1993
Jiangsu Wuxi

Started working in the door and window industry in Wuxi, Jiangsu.
After five years of accumulation, I earned my first pot of gold;

1999
Shanghai

Founded Jiangnan Door and Window Decoration Company in Shanghai.
Accumulate valuable experience;

2000
Xinjiang

Founded Xiongfeng Doors and Windows Co., Ltd.With a deep understanding and passion for the doors and windows industry Further expands its business territory;

2004
Baotou, Inner Mongolia

Entered Baotou, Inner Mongolia and founded Xiongfeng Plastics PVC wholesale company with quality products and services win market recognition;

2007
Baotou, Inner Mongolia

Successively established LU Feng aluminum profile and Winoston System Door and Window Company, further expands its product line

2012
Baotou, Inner Mongolia

In response to the call of the Central Inner Mongolia Autonomous Region, we were honored to win the bidBaotou City Energy Conservation and Environmental Protection Engineering Renovation Project and the "Ten "Covering" municipal engineering projects, causing a sensation in the Inner Mongolia door and window industry;

2017
Foshan, Guangdong

HIMOLON Home Furnishing Technology Co., Ltd. was established in Foshan, Guangdong .Introducing advanced production equipments, adhering to the spirit of craftsmanship, and pioneering System doors and windows R&D, manufacturing, sales and other businesses.

2023
Foshan, Guangdong

Invest in the construction of HIMOLON Global Operation Center to expand global Market layout, the production base was further expanded to nearly 50,000 square meters, Lay the foundation for future development.

future
Stay tuned

NEXT



Founder: Wen Wuqiang
FOUNDER OF HIMOLON

OVERVIEW OF
PRODUCTION WORKSHOP

50,000 square meters modern production workshop

A300 Smart Workstation, opening the era of smart manufacturing

Ximulong's production workshop covers an area of 50,000 square meters, with super large scale, first-class equipment, and strict selection of High-quality raw materials are used, with a three-month supply to ensure quality delivery. More than 120 processes are used,Strictly control the process and create excellent quality with craftsman spirit. HIMOLON closely follows the production of Industry 4.0 smart doors and windows

The A300 high-tech intelligent workstation is introduced to realize intelligent production. This is the proof of quality.

Inheriting the craftsman spirit, HIMOLON creates every product with heart and wins recognition from consumers with its strength.

8U CUSTOM HOME

8Superb Door and Window Core Performance





WITH THE HEART OF A CRAFTSMAN
POLISH EVERY DETAIL TO THE EXTREM

CONTENTS

SYSTEM WINDOW SERIES

Z8 series ····· 13

GuardianV8 series ····· 17

Molon noble E116 series ····· 21

Molon supreme S126 series ····· 25

Molon noble 120 series ····· 29

Max119 series ····· 33

211 curtain wall sliding series ····· 37

Molon fashion 70 series ····· 41

Molon supreme 85 series ····· 45

Molon fashion 105N series ····· 49

Molon noble120N series ····· 53

M9 double inward opening ····· 57

Molon green diamond 78 ····· 61

Molon blue diamond 94 ····· 65

Molon red diamond 103 ····· 69

Molon golden diamond 118 ····· 73

Molon 136 three tracks sliding ····· 77

Molon 128 six tracks sliding ····· 81

120 thermal break lifting sliding ····· 85

SYSTEM DOOR SERIES CONTENTS

Entry lux 60 series sliding door ····· 91

Perfect System Solid Sliding Door ····· 95

Molon 82 sliding ····· 99

Molon 96 sliding ····· 103

Molon narrow 40 casement door ····· 107

premium 110 ····· 111

Fashion 70 system door ····· 115

supreme 85 ····· 119

Molon 93 folding door ····· 123

150ProMax panoramic sliding ····· 127

168 inteeligent lifting window ····· 131

120 sunroom ····· 135

HARDWARE

Optional Smart Systems ····· 139

HOME DOOR

Entry Door ····· 141

Off Axis Door ····· 157

Garage Door ····· 173

Courtyard Gate ····· 189

GAZEBO

Gazebo ····· 199



HiMOLON

SYSTEM WINDOW SERIES

Living within the scenery, the sense of design determines the quality of life.
The residential culture of "hiding in the market and living in nature" blends with minimalist design

TOP SALES: Z8 SERIES OUT-SWING SYSTEM WINDOW

Casement System Window



Product Specifications

- **Aluminum Profile**
  Frame wall thickness:1.8mm, Panel thicknesss：1.8mm
  Frame width：110mm, internal view panel:30mm, external view panel:51mm
- **Glass Hollow**
  5MM+20A+5MM tempered glass, black integrated bending aluminum strip
- **Hardware Configuration**
  Standard configuration custom window system hardware and accessories+cuntom baseless handle+limiting stopper
  Standard with 0.4 ultra HD black SS mesh----
- **Glazing Bead**
  Standard with beveled glazing bead


Product color

Inner color



Metal Grey | Molon Coffee | Molon Black | Spar Grey | Night Grey

Outer color



Metal Grey | Molon Coffee | Molon Black | Spar Grey

Custom color



Khaki Brown | Highlight White | Fluorocarbon color



GUARDIAN V8 EXTERNAL
OPEN SYSTEM WINDOW

Casement System Window




Product Specifications

- **Aluminum Profile**
  Outer frame thickness 3.0mm, window thickness: 1.8mm
  Frame width:110mm, internl view panel: 30mm, external view panel:51mm
- **Glass Hollow**
  5MM +20A+ 5MM tempered glass, black bent aluminum strip
- **Hardware Configuration**
  Standard configuration: Ximulong high-grade hardware + double high-grade seat handle + limiter
  Standard 0.4 ultra-clear black hem diamond mesh press line Standard bevel edge
- **Glazing bead**
  (Top arc bending comes with a small one-circlepress line as standard)


Product color

Inner color



Metal Grey | Molon Coffee | Molon Black | Spar Grey

Outer color



Metal Grey | Molon Coffee | Molon Black | Spar Grey

Custom color




Khaki Brown | Highlight White | Fluorocarbon color



MULONG NOBLE E116
EXTERNAL OPEN SYSTEM WINDOW

Casement System Window




Product Specifications

- **Aluminum Profile**
  Frame wall thickness 1.8-2.0mm，Panel thickness 1.8mm
  Frame width: 116mm, 30mm for indoor viewing panel, 50mm for outdoor viewing panel
- **Glass Hollow**
  5MM + 20A + 5 MM tempered glass，black integrated bending aluminum strip
- **Hardare Configuration**
  Standard configuration: Runas top-of-the-line anti-theft hardware + limiter
  Standard 0.4 ultra-clear black folded edge diamond mesh
  (optional fiber ultra-high transparency mesh)
- **Glazing bead**
  Bevel pressure line

Product color

Inner color



Fluorocarbon grey　Fluorocarbon Coffee　Fluorocarbon black silver　Molon Black

Outer Color




Fluorocarbon grey　Fluorocarbon Coffee　Fluorocarbon black silver　Molon Black



MULONG SUPREME S126
EXTERNAL OPENING SYSTEM WINDOW

Casement System Window



Product Specifications

- **Aluminum Profile**

  Frame wall thickness 1.8-2.0mm,Panel thicknesss:2.0mm

  Frame width：126mm，internal view panel: 30mm，external view panel:51mm
- **Glass Hollow**

  5MM+ 25A + 5MM tempered glass , black integrated bending aluminum strip
- **Hardware Configuration**

  Standard RUNAS top-of-the-line anti-theft hardware + limiter


  Standard 0.4 ultra-clear black folded edge diamond mesh

  (optional fiber ultra-high transparency mesh)
- **Glazing bead**

  Hypotenuse Glazing bead


Product color

Inner color



Fluorocarbon grey　Fluorocarbon Coffee　Fluorocarbon black silver　Molon Black

Outer Color



Fluorocarbon grey　Fluorocarbon Coffee　Fluorocarbon black silver　Molon Black



MULONG NOBLE 120

OPENING OUTWARD SYSTEM WINDOW



Product Specifications

- **Aluminum Profile**

  Frame wall thickness : 2.2mm Panel thickness: 2.2mm

  Frame width:120mm, internl view panel: 30mm, external view panel:51mm

- **Glass Hollow**

  5MM + 27A + 5 MM tempered glass , black integrated bending aluminum strip

- **Hardware Configuration**

  Standard configuration Italy STORO hardware+ Limiter+ anti-fall rope

  Standard configuration 0.6 blackking kong mesh screen (Optional fiber HD net)

- **Glazing bead**

  Inner arc glazing bead


Product color

Inner color



Metal Grey | Molon Coffee | Molon Black | Spar Grey | Night Grey

Outer color



Metal Grey | Molon Coffee | Molon Black | Spar Grey


Custom color



Khaki Brown | Highlight White | Fluorocarbon color



MAX119 EXTERNAL
OPENING SYSTEM WINDOW



Product Specifications

- **Aluminum Profile**

  Frame wall thickness : 2.0mm Panel thickness: 2.0mm

  Frame width:120mm, internl view panel: 30mm, external view panel:51mm
- **Glass Hollow**

  5 MM + 25A + 5MM tempered glass , black integrated bending aluminum strip
- **Hardware Configuration**

  Standard configuration Italy STORO hardware+ Limiter

  Standard configuration 0.6 blackking kong mesh screen (Optional fiber HD net)
- **Glazing bead**

  Glazing bead (Whole frame dowel Glue injection technology)


Product color

Inner color



Metal Grey | Molon Coffee | Molon Black | Spar Grey | Night Grey

Outer color



Metal Grey | Molon Coffee | Molon Black | Spar Grey


Custom color



Khaki Brown | Highlight White | Fluorocarbon color



211 CURTAIN
SLIDING WINDOW



Product Specifications

- **Aluminum Profile**

  Frame wall thickness : 2.2mm Panel thickness: 2.2mm

  Frame width:120mm, internl view panel: 30mm, external view panel:51mm
- **Glass Hollow**

  Opening sash: 6MM + 27A + 6MM tempered glass

  Fixedsash: 5 MM + 27A + 5MM tempered glass, black integrated bending aluminum strip
- **Hardware Configuration**

  Standard configuration VBH customized hardware
- **Glazing bead**

  Inner arc glazing bead


Product color

Inner color



Metal Grey | Molon Coffee | Molon Black | Spar Grey | Night Grey

Outer color



Metal Grey | Molon Coffee | Molon Black | Spar Grey

Custom color



Khaki Brown | Highlight White | Fluorocarbon color



MOLON FASHION 70

GERMAN STYLE SYSTEM WINDOW



Product Specifications

- **Aluminum Profile**

  Frame wall thickness:1.8mm, Panel thicknesss:1.8mm

  Framewidth:70mm, internl view panel: 40mm, external view panel:64.5mm

- **Glass Hollow**

  5MM+20A+5MM tempered glass, black integrated bending aluminum strip

- **Hardware Configuration**

  Standard configuration Italy STORO hardware (Magnetic version)

- **Glazing bead**

  Big glazing bead, small glazing bead (42mm rabbet)


Product color

Inner color



Metal Grey | Molon Coffee | Molon Black | Spar Grey | Night Grey

Outer color



Metal Grey | Molon Coffee | Molon Black | Spar Grey

Custom color



K金氟碳3#其棕 | High亮光白White | Fluorocarbon color 氟碳定色

MOLON SUPREME 85

GERMAN STYLE SYSTEM WINDOW



Product Specifications

- **Aluminum Profile**

  Frame wall thickness: 1.8mm, Panel thicknesss:1.8mm

  Framewidth：85mm, internl view panel: 40mm, external view panel: 64.5mm
- **Glass Hollow**

  5MM+15A+5MM+15A+5empered glass, black integrated bending aluminum strip
- **Hardware Configuration**

  Standard configuration Italy STORO hardware (Magnetic version)
- **Glazing bead**

  Big glazing bead, small glazing bead (57mm rabbet)


Product color

Inner color



Metal Grey | Molon Coffee | Molon Black | Spar Grey | Night Grey

Outer color



Metal Grey | Molon Coffee | Molon Black | Spar Grey

Custom color




Khaki Brown | Highlight White | Fluorocarbon color



MOLON FASHION 105N

GERMAN STYLE SYSTEM WINDOW



Product Specifications

- **Aluminum Profile**

  Frame wall thickness: 1.8mm, Panel thicknesss:1.8mm

  Frame width：105mm, internl view panel: 40mm, external view panel: 40mm

- **Glass Hollow**

  5MM+20A+5MM tempered glass, black integrated bending aluminum strip

- **Hardware Configuration**

  Standard configuration Italy STORO hardware (Magnetic version)

  Standard configuration 0.6 blackking kong mesh screen

- **Glazing bead**

  Big glazing bead, small glazing bead (42mm rabbet)


Product color

Inner color



Metal Grey　Molon Coffee　Molon Black　Spar Grey　Night Grey

Outer color



Metal Grey　Molon Coffee　Molon Black　Spar Grey

Custom color




Khaki Brown　Highlight White　Fluorocarbon color



MOLON SUPREME 120N

GERMAN STYLE SYSTEM WINDOW



Product Specifications

- **Aluminum Profile**

  Frame wall thickness:1.8mm, Panel thicknesss:1.8mm

  Frame width: 120mm, internl view panel: 40mm, external view panel:40mm

- **Glass Hollow**

  5MM+15A+5MM+15A+5 tempered glass, black integrated bending aluminum strip

- **Hardware Configuration**

  Standard configuration Italy STORO hardware (Magnetic version)

  Standard configuration 0.6 blackking kong mesh screen

- **Glazing bead**

  Big glazing bead, small glazing bead (57mm rabbet)


Product color

Inner color



Metal Grey | Molon Coffee | Molon Black | Spar Grey | Night Grey

Outer color



Metal Grey | Molon Coffee | Molon Black | Spar Grey

Custom color




Khaki Brown | Highlight White | Fluorocarbon color



M9 DOUBLE INWARD OPENING

AMERICAN STYLE SYSTEM WINDOW



Product Specifications

- **Aluminum Profile**

  Frame wall thickness: 1.8mm, Panel thicknesss:1.8mm

  Framewidth::94mm, internl view panel: 23mm, external view panel:59.5mm
- **Glass Hollow**

  5MM+20A+5MM tempered glass, black integrated bending aluminum strip
- **Hardware Configuration**


  Standard configuration Italy STORO hardware (Regular version)

  Standard configuration 0.6 blackking kong mesh screen
- **Glazing bead**

  square glazing bead, small glazing bead (45mm rabbet)


Product color

Inner color



Metal Grey　Molon Coffee　Molon Black　Spar Grey

Outer color




Metal Grey　Molon Coffee　Molon Black　Spar Grey


SONY
CHANEL

MOLON GREEN DIAMOND 78

AMERICAN STYLE SYSTEM WINDOW



Product Specifications

- **Aluminum Profile**

  Frame wall thickness:1.8mm, Panel thicknesss:1.8mm

  Framewidth: 78.5mm, internl view panel: 36mm, external view panel:59.5mm
- **Glass Hollow**

  5MM+20A+5MM tempered glass, black integrated bending aluminum strip
- **Hardware Configuration**

  Standard configuration Italy STORO hardware (Magnetic version)
- **Glazing bead**

  splice angle square glazing bead


Product color

Inner color



Metal Grey | Molon Coffee | Molon Black | Spar Grey | Night Grey

Outer color



Metal Grey | Molon Coffee | Molon Black | Spar Grey

Custom color




Khaki Brown | Highlight White | Fluorocarbon color



MOLON BLUE DIAMOND 94

AMERICAN STYLE SYSTEM WINDOW



Product Specifications

- **Aluminum Profile**

  Frame wall thickness:1.8mm，Panel thicknesss:1.8mm

  Frame width:: 94mm，internl view panel:36mm，EXternl view panel: 59.5mm
- **Glass Hollow**

  5MM+15A+5MM+15A+5MMtempered glass，black integrated bending aluminum strip
- **Hardware Configuration**

  Standard configuration Italy STORO hardware (Magnetic version)
- **Glazing bead**

  Splice angle square glazing bead


Product color

Inner color



Metal Grey　Molon Coffee　Molon Black　Spar Grey　Night Grey

Outer color



Metal Grey　Molon Coffee　Molon Black　Spar Grey

Custom color




Khaki Brown　Highlight White　Fluorocarbon color



MOLON RED DIAMOND 103

AMERICAN STYLE SYSTEM WINDOW



Product Specifications

- **Aluminum Profile**

  Frame wall thickness:1.8mm, Panel thicknesss:1.8mm

  Frame width: 103mm, internl view panel: 36mm, external view panel:36.5mm

- **Glass Hollow**

  5MM+14A+5MM tempered glass, black integrated bending aluminum strip

- **Hardware Configuration**

  Standard configuration Italy STORO hardware (Magnetic version)

  Standard configuration 0.6 blackking kong mesh screen

- **Glazing bead**

  Splice angle square glazing bead


Product color

Inner color



Metal Grey | Molon Coffee | Molon Black | Spar Grey | Night Grey

Outer color



Metal Grey | Molon Coffee | Molon Black | Spar Grey

Custom color



Khaki Brown | Highlight White | Fluorocarbon color



MOLON GOLDEN DIAMOND 118

AMERICAN STYLE SYSTEM



Product Specifications

- **Aluminum Profile**

  Frame wall thickness:1.8mm, Panel thicknesss:1.8mm

  Frame width: 118mm, internal view panel: 36mm, external view panel: 36.5mm

- **Glass Hollow**

  5MM+15A+5MM+15A+5tempered glass-, black integrated bending aluminum strip

- **Hardware Configuration**

  Standard configuration Italy STORO hardware (Magnetic version)

  Standard configuration 0.6 blackking kong mesh screen

- **Glazing bead**

  Splice angle square glazing bead


Product color

Inner color



Metal Grey | Molon Coffee | Molon Black | Spar Grey | Night Grey

Outer color



Metal Grey | Molon Coffee | Molon Black | Spar Grey

Custom color



Khaki Brown | Highlight White | Fluorocarbon color



MOLON 136 THREE TRACKS
SLIDING WINDOW



Product Specifications


- **Aluminum Profile**
  Frame wall thickness:1.4mm, Panel thicknesss:1.4mm
  Frame width: 136mm, upper track height:40mm, lower track height: 60mm,
  glass view panel;75mm
- **Glass Hollow**
  5MM+14A+5MM tempered glass, black integrated bending aluminum strip
- **Hardware Configuration**
  Standard configuration HIMOLON self-locking for sliding windows
  Standard configuration 0.8 black king kong mesh screen
- **Glazing bead**
  square glazing bead

Product color

Inner color



Outer color




Custom color




CHANEL
John Steinbeck
Sweet Thursday

MOLON 128 SIX-TRACKS

SIMPLE SLIDING WINDOW



Product Specifications

- **Aluminum Profile**
  Frame wall thickness:2.0mm, Panel thicknesss:1.8-2.0mm
  Frame width: 128mm, upper track height: 72mm, lower track height: 65mm
- **Glass Hollow**
  5MM+15A+5MM tempered glass, black integrated bending aluminum strip
- **Hardware Configuration**
  Standard configuration custom HIMOLON hardware, select pull handle locks for the screen on the exterior/No additional cost, Standard configuration fiber HD net
- **Glazing bead**
  square glazing bead

Product color

Standard Configuration single color



Metal Grey | Molon Coffee | Molon Black



120 THERMAL BREAK LIFTING
SLIDING WINDOW



Product Specifications

- **Aluminum Profile**

  Frame wall thickness:1.8mm, Panel thicknesss:1.8mm

  Frame width:120mm, upper track height: 65mm

  Lower track height:54mm, glass view panel: 45mm
- **Glass Hollow**

  5MM+20A+5MM tempered glass, black integrated bending aluminum strip

  Hardware Configuration

  Standard configuration BAOGAO lifting hardware
- **Glazing bead**

  square glazing bead

Product color

Inner color



Metal Grey | Molon Coffee | Molon Black

Outer color



Metal Grey | Molon Coffee | Molon Black




HiMOLON

DOOR SERIES

Wise innovation is forged on a facade, every detail showcases the
extraordinary taste of the resident. Exquisite craftsmanship, excellent quality. The appearance is noble and elegant, let art and life perfectly meet,
showcasing unparalleled charm.

ENTRY LUX 60 SERIES SLIDING DOOR




Product Specifications

- **Aluminum profile**
  Frame wall thickness:1.5mm Panle thickness:2.0 3.0 mm
  Two tracks width:107mm three tracks width:163mm
- **Glass Hollow**
  5MM+15A+5MM tempered glass, black integrated bending aluminum strip
- **Hardware configuration**
  Standard configuration high quality double-sided lock +four axes and eight bearings silent pulley+PU silent anti-balance wheels
- **Track**
  Standard configuration lower drain double track high track (optional flat track)
- **Flyscreen**
  3 tracks Standard configuration 0.6 black king kong mesh screen

Product color

Standard configuration color



Metal Grey　Molon Coffee　Molon Black　Night Grey

Custom color




Spar Grey　Khaki Brown　Highlight White　Fluorocarbon color



PERFECT SYSTEM SOLID SLIDING DOOR





Product Specifications

- **Aluminum profile**
  Frame wall thickness:1.5mm, panel thickness:7.0mm, profile view panel:16mm
  2-tracks width: 97mm, 3 -tracks width: 143mm
- **Glass**
  8mm tempered clear glass(Optional artistic glass)
- **Hardware configuration**
  Standard configuration acrylic panel letter handle (optional big handle) OPK hardware pulleys.
  Ground track standard configuration a one-way buffer, hanging track standard configuration a two-way buffer.
- **Track**
  Ground track and hanging track can choose, also can choose copper rod track or stainless steel bonded track;
  Number of tracks can be selected single track, double track, triple track, four track

Product color

Standard colour



Black

Pearl white



Moonlight grey



Light grey



Crystal grey

MOLON 82 SERIES
SLIDING DOOR



Product Specifications

- **Aluminum Profile**
  Frame wall thickness:1.8mm, Panel thicknesss:1.7mm
  Framewidth: 130/195mm, frame over-height: 35mm, glass view panel: 82mm
- **Glass Hollow**
  5MM+20A+5MM tempered glass, black integrated bending aluminum strip
- **Hardware Configuration**
  Standard configuration custom hevy-duty specialized silent hardware
- **Flysceen**
  Standard configuration 0.8 black king kong mesh screen

Product color

Inner color



Metal Grey | Molon Coffee | Molon Black | Spar Grey | Night Grey

Custom color



Khaki Brown | Highlight White | Fluorocarbon color



MOLON 96 SERIES
SLIDING DOOR



Product Specifications

- **Aluminum Profile**

  Frame wall thickness:2.0mm, Panel thicknesss:2.4mm

  Frame width：148/223mm, frame over-height:45mm, glass view panel:96mm
- **Glass Hollow**

  5MM+27A+5MM tempered glass, black integrated bending aluminum strip
- **Hardware Configuration**

  Standard configuration custom hevy-duty specialized silent hardware

  Standard configuration 0.8 black king kong mesh screen


Product color

Inner color



Metal Grey　Molon Coffee　Molon Black　Spar Grey　Night Grey

Outer color



Metal Grey　Molon Coffee　Molon Black　Spar Grey

Custom color




Khaki Brown　Highlight White　Fluorocarbon color



MOLON EXTREMELY

NARROW 4 0SERIES CASEMENT DOOR



Product Specifications

- **Aluminum profile**

  Frame wall thickness:1.5mm, panel thickness:2.0mm, profile view panel:12mm

- **Glass**

  8mm tempered clear glass(Upgrade artistic glass for free)

- **Hardware configuration**

  Standard configuration same color Guanmisi magnetic lock

Product color

Standard colour



Black

Pearl white



Moonlight grey



Light grey



Crystal grey



PREMIUM 110 CASEMENT DOOR



Product Specifications

- **Aluminum Profile**
  Frame wall thickness:1.5mm, Panel thicknesss:1.5mm
  Frame width：110mm, internal view panel: 40mm, external view panel:61.5mm
- **Glass Hollow**
  5MM+24A+5MMtempered glass, black integrated bending aluminum strip
- **Hardware Configuration**
  Standard configuration custom hadware, Hevy-duty door hinges, window handle
  Standard configuration 0.8 black king kong mesh screen
- **Glazing bead**
  Inward arc big glazing bead


Product color

Inner color



Metal Grey | Molon Coffee | Molon Black | Spar Grey | Night Grey

Outer color



Metal Grey | Molon Coffee | Molon Black | Spar Grey


Custom color



Khaki Brown | Highlight White | Fluorocarbon color



FASHION 70 SERIES SYSTEM DOOR



Product Specifications

- **Aluminum Profile**
  Frame wall thickness:1.8mm, Panel thicknesss:2.0mm
  Frame width：70mm, internal view panel: 40mm, external view panel:64.5mm
- **Glass Hollow**
  5MM+20A+5MM tempered glass, black integrated bending aluminum strip
- **Hardware Configuration**
  Standard configuration custom window system accessories, lock, Hevy-duty door hinges, window handle
- **Glazing bead**
  Big glazing bead, small glazing bead (42mm rabbet)


Product color

Inner color



Metal Grey　Molon Coffee　Molon Black　Spar Grey　Night Grey

Outer color



Metal Grey　Molon Coffee　Molon Black　Spar Grey

Custom color



Khaki Brown　Highlight White　Fluorocarbon color



SUPREME-85 SERIES SYSTEM DOOR



Product Specifications

- **Aluminum Profile**
  Frame wall thickness:1.8mm, Panel thicknesss:2.0mm
  Frame width：85mm, Internal view panel: 40mm, external view panel:64.5mm
- **Glass Hollow**
  5MM+15A+5MM+15A+5MM tempered glass, black integrated bending aluminum strip
- **Hardware Configuration**
  Standard configuration custom window system accessories, lock, Hevy-duty door hinges, window handle
- **Glazing bead**
  Big glazing bead, small glazing bead (57mm rabbet)


Product color

Inner color



Metal Grey | Molon Coffee | Molon Black | Spar Grey | Night Grey

Outer color



Metal Grey | Molon Coffee | Molon Black | Spar Grey

Custom color



Khaki Brown | Highlight White | Fluorocarbon color



MOLON 93 SERIES FOLDING DOOR



Product Specifications

- **Aluminum profile**
  Frame wall thickness:2.5mm, Panel thicknesss:2.5mm
  Frame width：93mm, Glass view panel: 70mm
- **Glass Hollow**
  5MM+27A+5 tempered glass, black integrated bending aluminum strip
- **Hardware Configuration**
  Standard configuration German KERSSENBERG hardware


Product color

Standard configuration single color

Metal grey



150-PRO-MAX-PANORAMIC
SLIDING DOORS



Product Specifications

- **Aluminum Profile**

  The outer frame wall thickness:1.8 mm, the panel wall thickness: 4.0 mm,

  The upper track wall thickness: 2.0 mm, and the lower track wall thickness : 2.6 mm

  The frame width: 150mm, the manual upper track height: 60mm,

  The electric upper track height: 140mm, and the lower track height: 57mm.

  Glass sash visible panel 19mm, side width 120mm

- **Glass Hollow**

  8 MM + 20A + 8 MM brand tempered glass , black integrated bending aluminum strip

- **Hardware Configuration**

  High-end straight bar lock, patented pulley bar structure. Optional fingerprint password lock

Product color


Standard configuration single color



Metal grey | MOLON Coffee | MOLON Black



168 INTELLIGENT LIFTING WINDOW



Product Specifications

- **Aluminum Profile**
  The outer frame wall thickness : 2.0mm, the sash wall thickness : 3.0mm
  Frame width 168mm, visible window panel 46mm
- **Glass Hollow**
  8 MM + 18A + 8 MM Xinyi brand tempered glass , black integrated bending aluminum strip
- **Hardware Configuration**
  Single motor drive dual axis system, remote control, infrared anti-pinch buffer system
  Touch screen child lock function, German imported SEMPERIT rubber strip,
  wind and rain sensor.

Product color

Standard configuration single color



Metal grey　　MOLON Coffee　　MOLON Black



CHINESE STYLE SUNROOM

Optional materials

- If the flat/sloping roof sunroom is less than 5m², it will be calculated as 5m².
  If the arc top is less than 6m², it will be calculated as 6m².
  If a gable roof is less than 7m², it will be calculated as 7m². -
  Special-shaped roof/diamond roof/combination roof less than 9m² will be calculated as 9m².
  The top shape is special and complex, which is special-shaped top
- Special-shaped sunrooms are calculated based on the area of the top unfolded panels (non-rectangular ones are priced based on rectangles) -
  Arc top bending fee: calculated according to the number of main beams
- If the cellular area of the sunroom roof is less than 0.7m², it will be calculated as 0.7m².
- Special shaped laminated glass, minimum film thickness 1.14R

Product color

Inner color



Metal Grey



MOLON Coffee



MOLON Black



Spar Grey







INTELLIGENT PRODUCTS OPTIONAL

Picture						
type	Less than 9m²intelligent control system	9m²-20m² intelligent control system	Face, fingerprint,password, card recognition	inductive probe	Wireless hand touch switch	Remote control
Remarks	Suitable for 150 promax panoramic sliding door	Suitable for 150 promax panoramic sliding door	Suitable for 150 promax panoramic sliding door	Suitable for 150 promax panoramic sliding door	Suitable for 150 promax panoramic sliding door	Suitable for 150 promax panoramic sliding door
Picture						
type	Anti-pinch device	Fingerprint and password lock	backup power	Casement door fingerprint and password lock	Sliding door fingerprint and password lock	Electric beehive curtain control system
Remarks	Suitable for 150 promax panoramic sliding door	Suitable for 150 promax panoramic sliding door	Suitable for 150 promax panoramic sliding door	Suitable for 70/85/110 casement door	Suitable for 82/96 sliding door	Sunroom
Picture						
type	Electric skylight/ included motor, controller	Intelligent central ventilation system				
Remarks	Sunroom	Suitable for all casement windows				

HiMOLON

ENTRY DOOR

The entrance door is the first door to enter the house.
A door, embellished not only with a home storefront.
It is the guardian of a happy and beautiful life.

Light luxury fashion.

One Door, One Scene Series.

Bright Fashion Series.
Unconventional extraordinary temperament.

Model : BF-2830#-008 / Type : 31#

Door frame color: Starry Sky Grey

Door leaf color : Starry Sky Grey + Brushed surface laferrari grey

(3 centimeter aluminum plate)



Model : BF-2730#-009 / Type : 31#

Door frame color: Cullinan grey

Door leaf color : Cullinan grey

(3 centimeter aluminum plate)



Model : BF-2730#-010 / Type : 31#

Door frame color: BMW grey

Door leaf color : BMW grey

(3 centimeter aluminum plate)



Model : BF-2830#-013 / Type : 31#
Door frame color: Cullinan grey
Door leaf color : Cullinan grey (4 centimeter aluminum plate)



Model : BF-2730#-014 / Type : 16#
Door frame color: Starry Sky Grey
Door leaf color : Starry Sky Grey (3 centimeter aluminum plate)



Model : BF-2830#-008 / Type : 31#
Door frame color: Brushed surface laferrari grey
Door leaf color :
Brushed surface laferrari grey + Yellow sandalwood
(3 centimeter aluminum plate)



Model : BF-2830#-016 / Type : 27#
Door frame color: Sandstone space grey
Door leaf color : Gentleman grey (4 centimeter aluminum plate)



Model : BF-2830#-017 / Type : 27#
Door frame color: Sandstone space grey
Door leaf color : Starry Sky Grey + Coffee Gold
(3 centimeter aluminum plate)



Model : BF-2930#-018 / Type : 27#
Door frame color: Sandstone space grey
Door leaf color : Gentleman Grey + champagne gold
(4 centimeter aluminum plate)

Model : BF-2830#-027 / Type : 31#
Door frame color: Flat cloud copper
Door leaf color : Flat cloud copper

Model : BF-2530#-028 / Type : 16#
Door frame color: Water Cube Silver grey
Door leaf color : Water Cube Silver grey + Baroque Grey



Model : BF-2530#-058 / Type : 16#
Door frame color: Prague Starry Sky Blue
Door leaf color : Prague Starry Sky Blue + Sandstone metallic silver



Model : BF-2630#-059 / Type : 16#
Door frame color: Sandstone space grey
Door leaf color : Wavy horizontal stripes + Hairline Space Gray
+ 2/8 horizontal line



Model : BF-2630#-060 / Type : 16#
Door frame color: Sandstone space grey
Door leaf color : Wavy horizontal stripes + Hairline Space Gray
+ 2/8 horizontal line



Model : BF-2630#-061 / Type : 22#
Door frame color: Prague Starry Sky Blue
Door leaf color : Prague Starry Sky Blue + Prague Brown Gold
+ Hairline Space Gray



Model : BF-2830#-062 / Type : 16#
Door frame color: Prague Starry Sky Blue
Door leaf color : Prague Starry Sky Blue + Prague Brown Gold

Model : BF-2830#-068 / Type : 11#
Door frame color: Floating pattern brown gold
Door leaf color : Floating pattern brown gold + rose gold
+ Black titanium fine wire drawing

Back display



Model : BF-2730#-069 / Type : 16#
Door frame color: Dreamy Cross coppery
Door leaf color : Dreamy Cross coppery + Hairline Space Grey



Model : BF-2730#-070 / Type : 22#
Door frame color: Dreamy Cross coppery
Door leaf color : Dreamy Cross coppery + Black titanium wire drawing



Model : BF-2830#-071 / Type : 22#
Door frame color: Floating pattern matte grey
Door leaf color : Floating pattern matte grey
+ Black titanium fine wire drawing



Model : BF-2730#-072 / Type : 22#
Door frame color: Simba pattern matte gray
Door leaf color : Simba pattern matte gray + Hairline Space Grey



Name: Roman pillar double door (Copper alloy color)
Model : B-2930#-081 aluminium



Name: Roman pillar with four doors (Copper alloy color)
Model : A-2630#-082 steel
Model : B-2930#-083 aluminium



Name: Roman pillar with four doors (Copper alloy color)
Model : B-2930#-084 aluminium

HiMOLON

OFF AXIS DOOR

La porta per le grandi dimensioni con funzionamento a bilico verticale e complanare al muro.
I1 connubio perfetto tra tecnica e design.


The door for large dimensions, with vertical pivoting operation and installation coplanar with the wall.
The perfect combination of technology and design.

Esterno: Linea Portici a settori Rovere Wengè1 connubio perfetto tra tecnica e design.
Interno: Linea Interior Design Pannello unico laccato Bianco Gesso.
Synua Wall System laterale coordinato esterno, Serratura con sistema elettronico motorizzato ArcKey.

External: Portici line with Wengè Oak sectors.
Internal: Interior Design line with single Chalk White lacquered panel.
Lateral Synua Wall System matched with the same finish of the door; lock with ArcKey motorized electronic system.

Exterior: Línea Portici con sectores en Roble Wengué.
Interior: Línea Interior Design Panel único laqueado Blanco Yeso.
Synua Wall System lateral combinado con el mismo acabado de la puerta, Cerradura con sistema electrónico motorizado ArcKey.









Esterno: Linea Portici a settori Rovere finitura a campione.
Interno: Linea Interior Design a settori Rovere finitura a campione.Prodotto con certificazione antiuragano Miami Dade.
External: Portici line with Oak sectors, finish according to sample provided by the customer.

Internal: Interior Design line with Oak sectors, finish according to sample provided by the customer.Miami Dade hurricane-proof certified product.
Exterior: Línea Portici con sectores en roble, acabado según muestra del cliente.

Interior: Línea Interior Design con sectores en roble, acabado según muestra del cliente.
Producto con certificación antihuracanes Miami Dade.



Esterno: Linea Portici a settori Laminam Cor-Ten Ruggine con settore in Inox.
Interno: Linea Interior Design a settori Riflessi vetro Lucido Nero con settore in Inox.
Serratura con sistema elettronico motorizzato ArcKey.

External: Portici line with Rust Laminam Cor-Ten sectors and a stainless steel sector.
Internal: Interior Design line with Polished Black glass Riflessi sectors and a stainless steel sector
Lock with ArcKey motorized electronic system.

Exterior: Línea Portici con sectores Laminam Cor-Ten Rojizo con sector en acero inoxidable.
Interior: Línea Interior Design con sectores Riflessi vidrio Negro Brillante con sector en acero inoxidable
Cerradura con sistema electrónico motorizado ArcKey.









Esterno: Linea Portici a settori Laminam Calce Nero con settore in Inox.

External: Portici line with Black Lime Laminam sectors
and a stainless steel sector.

Exterior: Línea Portici con sectores Laminam Cal Negro con
sector en acero inoxidable.





Esterno Linea Portici a settori Rovere Wengè con settore in Inox.
Interno: Linea Interior Design Laccato Bianco con settore in Inox.

External: Portici line with Wengè Oak sectors and a stainless steel sector.
Internal: Interior Design line, White lacquered, with a stainless steel sector.

Exterior Línea Portici con sectores en Roble Wengué con sector en acero inoxidable.
Interior: Línea Interior Design laqueado Blanco con sector en acero inoxidable.



Esterno: Linea Portici a settori Riflessi Vetro Lucido Blu Vintage con settore in Inox.
Interno: Linea Interior Design a settori laccato Bianco
Montaggio rasomuro interno a tutta altezza

External: Portici line with Vintage Blue polished glass Riflessi sectors and a stainless . steel sector
Internal: Interior Design line with White lacquered sectors
Fitting flush with internal wall from the floor to the ceiling

Exterior: Línea Portici con sectores Riflessi Vidrio Brillante Azul Vintage con sector en acero inoxidable
Interior: Línea Interior Design con sectores laqueado Blanco
Montaje al ras de la pared interior desde el suelo hasta el techo







Esterno: Linea Portici a settori Laminam CorTen Ruggine con settore in inox
Synua Wall System esterno coordinato incollato direttamente a muro, Serratura con sistema elettronico motorizzato ArcKey

External: Portici line with Rust Laminam CorTen sectors and a stainless steel sector
Matching external Synua Wall System glued directly to the wall; lock with ArcKey motorized electronic system

Exterior: Línea Portici con sectores Laminam CorTen Rojizo con sector en acero inoxidable
Synua Wall System exterior combinado pegado directamente en la pared, Cerradura con sistema electrónico motorizado ArcKey

HiMOLON

GARAGE DOOR

MAKE YOUR HOUSE AND CAR

ONE MORE BEAUTIFUL ‘SCENERY’



1

Main materials:
National standard 6063-T5 native titanium silicon magnesium aluminum alloy.

2

The first choice for perspective is car grade explosion-proof tempered glass,ensuring safety without any worries.

3

The glass adhesive adopts the neutral structural adhesive of Dow Corning Goodyear from the United States.

4

We have an independent research and development team that has designed functions such as anti pinch, anti leakage, anti detachment,anti loss of control, anti power outage, and anti safety.

5

The surface of the aluminum alloy is coated with Dutch imported"AkzoNobel" powder and Austrian Tiger brand" powder using fully automatic powder spraying equipment, and cured in a 200°Cenvironment for 10 minutes

6

The motor and core components have also been tested and experimented by the company, and the best domestic manufacturer and the most stable "German Rima" has been selected as the main motor.

7

The door panel design adopts the principle of resistance mechanics, and can choose 6mm or 3mm large back reinforcement ribs.

8

All products are precision cut by headquarters automation equipment,professionally produced through standardized process flow, and completed through 22 processes and 4 re inspections.

PRODUCT HIGHLIGHTS

PRODUCT HIGHLIGHTS

1. Intelligent system design, luxurious and convenient enjoyment.

2. Aluminum alloy and glass have a human like structure that matches and matches.

3. The materialselection is environmentally friendly, durable, and has a long lifespan that can be recycled.






PRODUCT HIGHLIGHTS


The European safety standard production hand clamping prevention garage door, also need not worry again hurt her hand







PRODUCT COLOR SCHEME



Black | Deep sand and ash | Skin Whitening | Grey

GLASS PATTERN



Crystal Grey | Ford Blue | High Transparency LOW-E | DTLOW-E | Blue Star Grey Coating | European Grey

Ford Blue Coating | Blue Star Grey | Grey LOW-E | Golden brown color | European Grey Coating

White | Sanding | Laminated Black transparent | Laminated Black Opaque





Invisible Grille Garage Door








Aluminum Alloy Splicing Flap Garage Door





Crystal Sluice







HiMOLON

COURTYARD GATE

Customized products not only meet our unique needs
but also contain our unique personality and temperament.









LIGHT LUXURY NEW CHINESE STYLE COURTYARD GATE








































HiMOLON

GAZEBO

Life is about satisfying one's dual material and spiritual needs in the most appropriate way.
In the modern living room, seeking the tranquility of high clouds and clear winds, time freezes in this moment.

FOUR CORNER PAVILION SERIES













SIX CORNER PAVILION SERIES





SIX CORNER PAVILION SERIES





NEW CHINESE STYLE GAZEBO











